

Images






Product Data Sheet 5 Cu. Ft. Undercounter Hazardous Location Freestanding Refrigerator

## Product Description

In the fast-paced world of scientific and industrial laboratories, precision and safety are key. Our Hazardous Location Undercounter Refrigerators are engineered for use in environments where volatile or explosive conditions could exist. Crafted with ATEX and non-sparing components, these refrigerators are designed to keep you and your substances safe. These units meet NFPA and OSHA guidelines for Hazardous Location, Class 1, Division II, Groups A.B.C. & D guidelines. Engineered with a microprocessor temperature controller, these units provide exceptional precision, recovery, and maintenance. You'li also experience the power of natural hydrocarbon refrigerants through energy awings and a greener laboratory footprint—all while enjoying stellar system performance. \*

\*Note: Please be aware that these units come without a plug and require hardwiring in conduit, ensuring a secure connection in your high-risk environment. Our freestanding models also require 4 inches of clearance for proper ventilation and safety.

S Cu. Pt. One swing solid door 3 adjustable shelves with guard rail on back to prevent product from being pushed against the back wall
3 adjustable shelves with guard rail on back to prevent product from being pushed against the back wall
Non-applicable
Non-applicable
Leveling legs
Non-applicable
Non-applicable
Non-applicable
Cabinet is foamed-in-place with EPA compliant high density urethane foam
White powder coated steel
Keyed door lock, integrated door handle
Two (2) years parts and labor warranty
84
118
1.2 Amps
Exposed flying leads, 3 wires
115VAC/60Hz/1PH
ETL Listed, Units meet NFPA and OSHA guidelines for Hazardous Location, Class 1, Division II, Groups A,B,C & D guidelines.
R600a
NOUA
- cue
3
Microprocessor Temperature Controller
Digital temperature display
1°C to 10°C
Remote alarm contacts
Audible and visual high and low temperature alarms
Glass beads in a bottle
Non-applicable
Non-applicable
This unit must have 4" clearance on sides and back for adequate ventilation.



BSI-HC-ERP-04